



| Manufacturer | Peggy Peg GmbH | Product Name | HP Schraubhering Peg&Stop Heavy Duty (P&S HD) • 4er-Pack | |
|----------------------|---|----------------|---|--|
| Manufacturer Address | Kulmbacher Str. 53a, 95512 Neudrossenfeld | Туре | HP60 | |
| Manufacturer E-Mail | service@peggypeg.net | | | |
| Country of Origin | Germany Max torque: ≥ 150Nm | | | |
| | | Peggy Peg GmbH | | |
| | | K | Kulmbacher Str. 53a, 95512 Neudrossenfeld | |
| EU REP | service@peggypeg.net | | | |
| | Peggy Peg GmbH | | | |
| | Kulmbacher Str. 53a, 95512 Neudrossenfeld | | | |
| UK REP | | | service@peggypeg.net | |
| | | | Pinch Hazard Be mindful of tools or mechanisms that could squeeze or pinch your fingers during use. Screw Placement Screw Should only be placed on terrain or ground surfaces—avoid improper use. Excessive Force Applying excessive force to the product may result in breakage or injury. Drilling Precautions When using drills, pre-drill or create a pilot hole for more solid grounds to ensure safe and effective placement. Handling Fine Sand Skim off the top layer of fine sand before inserting pegs to improve grip and stability. Sharp Edges and Tips Exercise caution with sharp edges or pointed tips. Allways keep products out of reach of children. Tripping Hazards Our pegs may not always be fully insertable depending on the terrain. Ensure they are as securely placed as possible to minimize tripping risks. Signal colors (Orange & Blue) are designed to enhance visibility and highlight potential hazards. Intended Use Only use Peggy Peg products for their designated camping purposes. Overtensioning Avoid overtightening levers as this may cause damage or breakage. Max torque ≥ 150Nm | |
| SafetyWarnings | EN | | Quetschgefahr Achten Sie auf Werkzeuge oder Mechanismen, die Ihre Finger einklemmen oder quetschen könnten. | |
| | | | Schraubenplatzierung Schrauben sollten nur auf Gelände- oder Bodenflächen platziert werden—unsachgemäße Verwendung vermeiden. Übermäßige Krafteinwirkung | |
| | | | Das Anwenden von übermäßiger Kraft auf das Produkt kann zu Beschädigungen oder Verletzungen führen. Bohrvorkehrungen | |
| | | | Verwenden Sie beim Einsatz von Bohrern Vorbohrungen oder Pilotlöcher auf festeren Untergründen, um eine sichere und effektive Platzierung zu gewährleisten. Feiner Sand Entfernen Sie die obere Sandschicht, bevor Sie die Heringe einsetzen, um den Halt und die Stabilität zu | |
| | | | verbessern. Scharfe Kanten und Spitzen Gehen Sie vorsichtig mit scharfen Kanten oder Spitzen um. Halten Sie die Produkte stets außerhalb der Reichweite von Kindern. | |
| | | | Stolpergefahr Unsere Heringe können je nach Gelände möglicherweise nicht vollständig eingeschlagen werden. Achten Sie darauf, sie so sicher wie möglich zu platzieren, um Stolperrisiken zu minimieren. | |
| | | | Die Signalfarben (Orange & Blau) sind so gestaltet, dass sie die Sichtbarkeit erhöhen und potenzielle Gefahren hervorheben. Bestimmungsgemäße Verwendung Verwenden Sie Peggy Peg Produkte nur für den vorgesehenen Campingzweck. | |
| | | | Übermäßiges Spannen Vermeiden Sie Peggy Peg Produkte nur für den vorgesenenen Campingzweck. Übermäßiges Spannen Vermeiden Sie ein Überdrehen oder Überdehnen von Hebeln, da dies zu Schäden oder Brüchen führen kann. Drehmoment | |
| | | | ≥ 150Nm | |
| | DE | | | |